Tank at Dogganal Village in Holalkere (Construction)

Q.—732. Sri G. SIVAPPA (Holalkere).—

Will the Government be pleased to state :—

(*a*) whether the estimate for a new tank at Dogganal in Holalkere taluk is being included in the Budget since two years;

(*b*) if so, the estimated cost;

(*c*) the reasons for the delay in constructing the same?

A.—Sri A. G. RAMACHANDRA RAO (Minister for Law and Education).—

(*a*) Yes.

(*b*) Rs. 1,75,000.

(*c*) The matter was proposed to be dealt with in the light of the recommendations of the Contribution and Water Rates Committee and hence sanction could not be accorded earlier The estimate has since been sanctioned.

Sri G. SIVAPPA.—The tank is sanctioned. May I know when the work would be taken up?

Sri A. G. RAMACHANDRA RAO.—Almost immediately it will be taken up.

Sri G. SIVAPPA.—Will the Government instruct the Chief Engineer to take up the work immediately?

Sri A. G. RAMACHANDRA RAO.—Yes.

Kallembella Tank in Sira Taluk (Water Supply to Atchkat)

Q.—780. Sri B. N. RAME GOWDA (Sira).—

Will the Government be pleased to state :—

(*a*) what is the atchkat of Kallembella tank in Sira taluk (details as to wet and garden lands may be given);

(*b*) the quantity of water required to irrigate the above atchkat;

(*c*) the quantity of water supplied to the above atchkat at present;

(*d*) what are the steps taken by the Government to supply water to the above atchkat, to set right the deficit supply of water?

A.—Sri A. G. RAMACHANDRA RAO (Minister for Law and Education).—

(*a*) Atchkat ... 1,667 acres.
Wet lands ... 905 acres.
Garden lands ... 762 acres.

(*b*) About 1,286 units.

(*c*) 1,052 units.

(*d*) A tank called Narasammanakatte is improved and provided with feeder channel from the left weir halla of Kallambella tank.

ಶ್ರೀ ಬಿ. ಎಚ್. ರಾಮೇಗೌಡ.—ಈ ಕೆರೆ 20 ವರ್ಷಗಳಿಂದ ತುಂಬಿ ಕೋಡಿ ಬಿದ್ದರೂ ಕೂಡ ಒಂದು ತಿಂಗಳು ಫಸಲಿಗೆ ನೀರು ಸಾಲದೆ ಪೀಕುಬುಕ್ಕಿ ಆಗುತ್ತಿರುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೆ ?

ಶ್ರೀ ಎ. ಜಿ. ರಾಮಚಂದ್ರರಾವ್.—ಬಂದಿಲ್ಲ ; ನರಸಮ್ಮನ ಕಟ್ಟೆಯಿಂದ ಅನುಕೂಲ ಕಲ್ಪಿಸಿದೆ. ಅದೂ ಸಾಲದೆಂದರೆ ಪರಿಶೀಲಿಸುತ್ತೇವೆ.

ಶ್ರೀ ಬಿ. ಎಚ್. ರಾಮೇಗೌಡ.—ನರಸಮ್ಮನ ಕಟ್ಟೆ ಕೃಪಾನಿಟಿಯೆಷ್ಟು ?

ಶ್ರೀ ಎ. ಜಿ. ರಾಮಚಂದ್ರರಾವ್.—ನೋಟೀಸ್.

ಶ್ರೀ ಬಿ. ಎಚ್. ರಾಮೇಗೌಡ.—ಈಗ ಅದನ್ನು ಉತ್ತಮಪಡಿಸಲು ಬೇರೆ ಕಾರ್ಯಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುವುದಕ್ಕೆ ಏರ್ಪಾಡು ಮಾಡಿದ್ದೀರಾ ?

ಶ್ರೀ ಎ. ಜಿ. ರಾಮಚಂದ್ರರಾವ್.—ನರಸಮ್ಮನ ಕಟ್ಟೆಯ ಅನುಕೂಲ ಕಲ್ಪಿಸಿದ ಮೇರೆ ಹೆಚ್ಚಾಗಿ ಏನೂ ಮಾಡಿಲ್ಲ.

ಶ್ರೀ ಬಿ. ಸಿ. ನಂಜುಂಡಯ್ಯ.—ಈ ಕೆರೆ ಅಚ್ಚುಕಟ್ಟು ಪ್ರದೇಶಕ್ಕೆ ನೀರುಣಿಸುತ್ತಿರುವ ನೀರಿನ ಪರಿಷೋಣ 1,052 ಯೂನಿಟ್ಟುಗಳೆಂದು ತಿಳಿಯಲು ಸರ್ವೆ ಆದುದು ಯಾವಾಗ ?

ಶ್ರೀ ಎ. ಜಿ. ರಾಮಚಂದ್ರರಾವ್.—ನೋಡಿ ಹೇಳುತ್ತೇನೆ.

ಶ್ರೀ ಬಿ. ಸಿ. ನಂಜುಂಡಯ್ಯ.—ಸರ್ವೆ ಆಗಿ ನುಮಾರು 30 ವರ್ಷಗಳಾಗಿವೆ, ಆದಾಗ 1,052 ಯೂನಿಟ್ಟುಗಳೆಂದು ಗೊತ್ತಾಗಿತ್ತು ಎಂಬುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬರದಿದೆಯೆ ?

ಶ್ರೀ ಎ. ಜಿ. ರಾಮಚಂದ್ರರಾವ್.—ವರದಿ ಬಂದಿರುವುದು ನನ್ನಲ್ಲಿದೆ, ಅದನ್ನು ತಿಳಿಸಿರುವ ತಾರೀಖು ಇಲ್ಲ.

ಶ್ರೀ ಬಿ. ಸಿ. ನಂಜುಂಡಯ್ಯ.—ನುಮಾರು 30 ವರ್ಷಗಳ ಕೆಳಗೆ ಸರ್ವೆಯಾದಾಗ ಇದ್ದ ಲೆಕ್ಕ ತಾವು ತಿಳಿಸಿರುವುದು. ಈಗ 20 ಅಡಿ ಹೂಳು ಬಂದು ಕೆರೆ ಮುಚ್ಚಿಕೊಂಡು ಹೋಗಿರುವುದು ಗೊತ್ತೆ ?

ಶ್ರೀ ಎ. ಜಿ. ರಾಮಚಂದ್ರರಾವ್.—ಇಲ್ಲ.

ಶ್ರೀ ಬಿ. ಸಿ. ನಂಜುಂಡಯ್ಯ.—ಈಗ ಅಲ್ಲರುವ ತೂಬು 20 ಅಡಿಗಳ ಕೆಳಗಿದೆ, ಮುಚ್ಚಿಕೊಂಡು ಹೋಗಿದೆ! ಅದನ್ನು ವಿಚಾರ ಮಾಡುತ್ತೀರಾ ?

ಶ್ರೀ ಎ. ಜಿ. ರಾಮಚಂದ್ರರಾವ್.—ಮಾಡುತ್ತೇನೆ.